

# Curriculum Vitae

July 10, 2019

**Name:** Tadafumi Kato, M.D., Ph.D. (55 years old, male)  
**Position:** Team Leader, Laboratory for Molecular  
Dynamics of Mental Disorders  
RIKEN Center for Brain Science



**Address:** Laboratory for Molecular Dynamics of Mental Disorders  
RIKEN Center for Brain Science  
Hirosawa 2-1, Wako, Saitama, 351-0198, Japan

**Phone:** +81-48-467-6949

**Fax:** +81-48-467-6947

**E-mail:** tadafumi.kato@riken.jp

**Place of Birth:** Tokyo, Japan

**Date of Birth:** August 16, 1963.

**Nationality:** Japanese

**Degrees:** M.D. 1988 (University of Tokyo, Faculty of Medicine)  
Ph.D. 1995 (Shiga University of Medical Science)

**Education:** March 1988, graduated from Faculty of Medicine, University of Tokyo  
March 1984 graduated from 2 years pre-med course,  
Faculty of Culture and Science, University of Tokyo.

**Research Area:** Neurobiology and genomics of bipolar disorder

## Research Experiences:

July 1, 2019 – Present	Deputy Director, RIKEN Center for Brain Science
April 1, 2018 – Present	Team Leader, Laboratory for Molecular Dynamics of Mental Disorders, RIKEN Center for Brain Science
April 1, 2018 – Present	Director, Research Resources Division, RIKEN Center for Brain Science
May 1, 2015 – March 2018	Director, RIKEN-BSI Takeda Collaboration Center
April 1, 2015 – March 2018	Deputy Director, RIKEN Brain Science Institute
April 1, 2009 – March 2018	Senior Team Leader, Laboratory for Molecular Dynamics of Mental Disorders, RIKEN Brain Science Institute

April 1, 2017 – March 2018	Director, Research Resources Center, RIKEN Brain Science Institute
April 1, 2009 – March 2013	Director, Disease Mechanism Research Core
August 2004 – March 2009	Director, Aging and Psychiatric Research Group RIKEN Brain Science Institute
January 2001 – March 2009	Team Leader, Laboratory for Molecular Dynamics of Mental Disorders, RIKEN Brain Science Institute
July 1999 – December 2000	Lecturer Department of Neuropsychiatry Faculty of Medicine, University of Tokyo
July 1997 - July 1999	Assistant Professor Department of Neuropsychiatry Faculty of Medicine, University of Tokyo
June 1989 - July 1997	Assistant Professor Department of Psychiatry, Shiga University of Medical Science
April 1995 - February 1996	International Visiting Fellow Department of Psychiatry University of Iowa College of Medicine (The laboratory of Dr. Raymond R. Crowe)
June 1988 - May 1989	Resident Department of Neuropsychiatry University of Tokyo Hospital

### **Major Visiting Appointments**

April 1, 2018 – Present	Coordinate Professor, Department of Brain Functional Dynamics, Division of Functional Biology, Graduate School of Medicine, University of Tokyo
April 1, 2018 – Present	Adjunct Professor, Graduate School of Medicine, Juntendo University
April 1, 2017 – Present	Adjunct Lecturer, Kumamoto University School of Medicine
March 31/2016 – Present	Program Supervisor, Strategic Research Program for Brain Sciences (SRPBS)
April 1, 2015 – Present	Adjunct Professor, Hoshi University
April 1, 2014 – Present	Adjunct Professor, Fujita Health University School of Medicine
April 1, 2011 – March 31/2016	Program Officer,

	Strategic Research Program for Brain Sciences (SRPBS)
April 1, 2010 – Mar 31/2013	Adjunct Professor, University of Tokyo, Faculty of Education
April 1, 2009 – Present	Adjunct Professor, Hiroshima University
April 2001 – Present	Adjunct Lecturer, Department of Neuropsychiatry University of Tokyo, Faculty of Medicine
April 2001 – Mar 2010	Adjunct Lecturer, Department of Psychiatry Tokyo Medical and Dental University
April 2006 – Mar 2008	Adjunct Lecturer, Nagasaki University, Faculty of Medicine
April 2003 - Mar 2006	Adjunct Lecturer, Department of Psychiatry Mie University School of Medicine
April 2000 – Mar 2006	Adjunct Lecturer, Department of Psychiatry Sapporo Medical College
April 2004 – March 2005	Adjunct Lecturer, University of Tokyo, Faculty of Education
April 2003 – March 2005	Adjunct Lecturer, Department of Psychiatry Kobe University School of Medicine
September 1997 – March 2001	Adjunct Lecturer, Department of Psychiatry Shiga University of Medical Sciences

#### **Honors and Awards:**

2019	Mogens Schou Award for Research, International Society for Bipolar Disorders
2017	Colvin Prize, Brain and Behavior Foundation
2014	Tsukahara Memorial Award, Brain Science Foundation
2008	NARSAD Independent Investigator's Award
2000	NARSAD Independent Investigator's Award
1998	CINP Rafaelson Fellowship Award
1995	Stanley Foundation Research Award
1995	Academic Prize of Japanese Society of Biological Psychiatry

#### **Membership:**

Collegium Internationale Neuro-Psychopharmacologium (CINP) (Councilor 2006-2008)  
International Society of Bipolar Disorder (Councilor 2005-2007, 2011-2013)  
Society of Biological Psychiatry  
International Society of Psychiatric Genetics  
Society for Neuroscience  
Japan Neuroscience Society (Councilor, 2011-2016)  
Japanese Society of Biological Psychiatry (Councilor, 2013-2015)

Japanese Society of Neurology and Psychiatry  
Japanese Society of Human Genetics (Board Member)  
Japanese Society of Neurochemistry (Councilor 2011-2013)  
Japanese Society of Neuropsychopharmacology (Councilor 2012-2016)  
Japanese Society of Mood Disorders (Councilor 2012 - present)

**Board Certification:**

2007 Board Certified Member of Japanese Society of Neurology and Psychiatry (#8167)  
1994 Designated Psychiatrist by Japanese Ministry of Health, Labour and Welfare (#9769)

**Editorship:**

Editor in Chief                    “*Psychiatry and Clinical Neurosciences*“  
Section Editor                    “*Neuroscience Research*”  
Academic Editor                 “*PLOS One*”  
Editorial Board Member        “*Journal of Affective Disorders*”  
  “*Bipolar Disorders*”  
  “*International Journal of Bipolar Disorders*”

## Refereed Original Articles

1. Kato TM, Kubota-Sakashita M, Fujimori-Tonou N, Saitow F, Fuke S, Masuda A, Itohara S, Suzuki H, Kato T\*. *Ant1* mutant mice bridge the mitochondrial and serotonergic dysfunctions in bipolar disorder. ***Molecular Psychiatry*** 23: 2039–2049.
2. Nakamura T, Nakajima K, Ohnishi T, Yoshikawa T, Nakanishi M, Takumi T, Tsuboi T, Kato T. Quantitative evaluation of incomplete preweaning lethality in mice by using the CRISPR/Cas9 system. ***Scientific Reports*** 8: 16025.
3. Nishioka M, Bundo M, Ueda J, Yoshikawa A, Nishimura F, Sasaki T, Kakiuchi C, Kasai K, Kato T\*, Iwamoto K\*. Identification of somatic mutations in monozygotic twins discordant for psychiatric disorders. ***npj Schizophrenia*** 4: 7.
4. Kageyama Y, Kasahara T, Nakamura T, Hattori K, Deguchi Y, Tani M, Kuroda K, Yoshida S, Goto Y, Inoue K, Kato T\* (2018) Plasma nervonic acid is a potential biomarker for major depressive disorder: a pilot study. ***International Journal of Neuropsychopharmacology*** 21: 207-215.
5. Nishioka M, Bundo M, Ueda J, Fumiki K, Sato Y, Kuroki Y, Ishii T, Ukai W, Murayama S, Hashimoto E, Nagasaki M, Yasuda J, Kasai K, Kato T\*, Iwamoto K\* (2018) Identification of somatic mutations in postmortem human brains by whole genome sequencing and their implications for psychiatric disorders. ***Psychiatry Clin Neurosci*** 72: 280-294.
6. Ikeda M, Takahashi A., Kamatani Y, Okahisa Y, Kunugi H, Mori N, Sasaki T, Ohmori T, Okamoto Y, Kawasaki H, Shimodera S, Kato T, Yoneda H, Yoshimura R, Iyo M, Matsuda K, Akiyama M, Ashikawa K, Kashiwase K, Tokunaga K, Kondo K, Saito T, Shimasaki A, Kawase K, Kitajima T, Matsuo K, Itokawa M, Someya T, Inada T, Hashimoto R, Inoue T, Akiyama K, Tani H, Arai H, Kanba S, Ozaki N, Kusumi I, Yoshikawa T, Kubo M, Iwata N (2018) A genome-wide association study identifies two novel susceptibility loci and trans population polygenicity associated with bipolar disorder. ***Molecular Psychiatry*** 23: 639-647
7. Takata A, Miyake N, Tsurusaki Y, Fukai R, Miyatake S, Koshimizu E, Kushima I, Okada T, Morikawa M, Uno Y, Ishizuka K, Nakamura K, Tsujii M, Yoshikawa T, Toyota T, Okamoto N, Hiraki Y, Hashimoto R, Yasuda Y, Saitoh S, Ohashi K, Sakai Y, Ohga S, Hara T, Kato M, Nakamura K, Ito A, Seiwa C, Shirahata E, Osaka H, Matsumoto A, Takeshita S, Tohyama J, Saikusa T, Matsuishi T, Nakamura T, Tsuboi T, Kato T, Suzuki T, Saitsu H, Nakashima M, Mizuguchi T, Tanaka F, Mori N, Ozaki N, Matsumoto N (2018) Integrative Analyses of De Novo Mutations Provide Deeper Biological Insights into Autism Spectrum Disorder. ***Cell Reports*** 22: 734-747.
8. Takata A\*, Matsumoto N, Kato T\* (2017) Genome-wide identification of splicing QTLs in the human brain and their enrichment among schizophrenia-associated loci. ***Nature Communications*** 8: 14519

9. International Consortium on Lithium Genetics (ConLi+Gen), Amare AT, Schubert KO, Hou L, Clark SR, Papiol S, Heilbronner U, Degenhardt F, Tekola-Ayele F, Hsu YH, Shekhtman T, Adli M, Akula N, Akiyama K, Ardaur R, Arias B, Aubry JM, Backlund L, Bhattacharjee AK, Bellivier F, Benabarre A, Bengesser S, Biernacka JM, Birner A, Brichant-Petitjean C, Cervantes P, Chen HC, Chillotti C, Cichon S, Cruceanu C, Czerski PM, Dalkner N, Dayer A, Del Zompo M, DePaulo JR, Étain B, Falkai P, Forstner AJ, Frisen L, Frye MA, Fullerton JM, Gard S, Garnham JS, Goes FS, Grigoriou-Serbanescu M, Grof P, Hashimoto R, Hauser J, Herms S, Hoffmann P, Hofmann A, Jamain S, Jiménez E, Kahn JP, Kassem L, Kuo PH, Kato T, Kelsoe J, Kittel-Schneider S, Kliwicki S, König B, Kusumi I, Laje G, Landén M, Lavebratt C, Leboyer M, Leckband SG, Tortorella A, Manchia M, Martinsson L, McCarthy MJ, McElroy S, Colom F, Mitjans M, Mondimore FM, Monteleone P, Nievergelt CM, Nöthen MM, Novák T, O'Donovan C, Ozaki N, Ösby U, Pfennig A, Potash JB, Reif A, Reininghaus E, Rouleau GA, Rybakowski JK, Schalling M, Schofield PR, Schweizer BW, Severino G, Shilling PD, Shimoda K, Simhandl C, Slaney CM, Squassina A, Stamm T, Stopkova P, Maj M, Turecki G, Vieta E, Volkert J, Witt S, Wright A, Zandi PP, Mitchell PB, Bauer M, Alda M, Rietschel M, McMahon FJ, Schulze TG, Baune BT (2017) Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder: A Genome-Wide Association Study. *JAMA Psychiatry* 75: 65-74.
  
10. Sugawara H, Murata Y, Ikegame T, Sawamura R, Shimanaga S, Takeoka Y, Saito T, Ikeda M, Yoshikawa A, Nishimura F, Kawamura Y, Kakiuchi C, Sasaki T, Iwata N, Hashimoto M, Kasai K, Kato T, Bundo M, Iwamoto K (2018) DNA methylation analyses of the candidate genes identified by a methylome-wide association study revealed common epigenetic alterations in schizophrenia and bipolar disorder. *Psychiatry Clin Neurosci* 72: 245-254.
  
11. Yoshida S, Ohnishi R, Tsuneoka Y, Yamamoto-Mimura Y, Muramatsu R, Kato T, Funato H, Kuroda KO (2018) Corticotropin-releasing factor receptor 1 in the anterior cingulate cortex mediates maternal absence-induced attenuation of transport response in mouse pups. *Front Cell Neurosci* 12: 204.
  
12. Reinbold CS, Forstner AJ, Hecker J, Fullerton JM, Hoffmann P, Hou L, Heilbronner U, Degenhardt F, Adli M, Akiyama K, Akula N, Ardaur R, Arias B, Backlund L, Benabarre A, Bengesser S, Bhattacharjee AK, Biernacka JM, Birner A, Marie-Claire C, Cervantes P, Chen GB, Chen HC, Chillotti C, Clark SR, Colom F, Cousins DA, Cruceanu C, Czerski PM, Dayer A, Étain B, Falkai P, Frisén L, Gard S, Garnham JS, Goes FS, Grof P, Gruber O, Hashimoto R, Hauser J, Herms S, Jamain S, Jiménez E, Kahn JP, Kassem L, Kittel-Schneider S, Kliwicki S, König B, Kusumi I, Lackner N, Laje G, Landén M, Lavebratt C, Leboyer M, Leckband SG, López Jaramillo CA, MacQueen G, Manchia M, Martinsson L, Mattheisen M, McCarthy MJ, McElroy SL, Mitjans M, Mondimore FM, Monteleone P, Nievergelt CM, Ösby U, Ozaki N, Perlis RH, Pfennig A, Reich-Erkelenz D, Rouleau GA, Schofield PR, Schubert KO, Schweizer BW, Seemüller F, Severino G, Shekhtman T, Shilling PD, Shimoda K, Simhandl C, Slaney CM, Smoller JW, Squassina A, Stamm TJ, Stopkova P, Tighe SK, Tortorella A, Turecki G, Volkert J, Witt SH, Wright AJ, Young LT, Zandi PP, Potash JB, DePaulo JR, Bauer M, Reininghaus E, Novák T, Aubry JM, Maj M, Baune BT, Mitchell PB, Vieta E, Frye MA, Rybakowski JK, Kuo PH, Kato T, Grigoriou-Serbanescu M, Reif A, Del Zompo M, Bellivier F, Schalling M, Wray NR, Kelsoe JR, Alda M, McMahon FJ, Schulze TG, Rietschel M, Nöthen MM, Cichon S (2018) Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. *Front*

**Psychiatry** 9: 207.

13. Murata Y, Bundo M, Ueda J, Kubota-Sakashita M, Kasai K, Kato T, Iwamoto K (2017) DNA methylation and hydroxymethylation analyses of the active LINE-1 subfamilies in mice. **Sci Rep** 7:13624.
14. Kageyama Y, Kasahara T, Kato M, Sakai S, Deguchi Y, Tani M, Kuroda K, Hattori K, Yoshida S, Goto Y, Kinoshita T, Inoue K, Kato T (2018) The relationship between circulating mitochondrial DNA and inflammatory cytokines in patients with major depression. **J Affect Disord** 233:15-20.
15. Kasahara T, Ishiwata M, Kakiuchi C, Fuke S, Iwata N, Ozaki N, Kunugi H, Minabe Y, Nakamura K, Iwata Y, Fujii K, Kanba S, Ujike H, Kusumi I, Kataoka M, Matoba N, Takata A, Iwamoto K, Yoshikawa T, Kato T\* (2017) Enrichment of deleterious variants of mitochondrial DNA polymerase gene (POLG1) in bipolar disorder. **Psychiatry and Clinical Neurosciences** 71: 518-529.
16. Kageyama Y, Kasahara T, Morishita H, Mataga N, Deguchi Y, Tani M, Kuroda K, Hattori K, Yoshida S, Inoue K, Kato T (2017) Search for plasma biomarkers in drug-free patients with bipolar disorder and schizophrenia using metabolome analysis. **Psychiatry and Clinical Neurosciences** 71: 115-123.
17. Ueda J, Murata Y, Bundo M, Oh-Nishi A, Kassai H, Ikegame T, Zhao Z, Jinde S, Aiba A, Suhara T, Kasai K, Kato T, Iwamoto K (2017) Use of human methylation arrays for epigenome research in the common marmoset (*Callithrix jacchus*). **Neuroscience Research** 120:60-65.
18. Kasahara T\*, Takata A\*, Kato TM\*, Kubota-Sakashita M, Sawada T, Kakita A, Mizukami H, Kaneda D, Ozawa K, Kato T(\*co-first authors) (2016) Depression-like Episodes in Mice Harboring mtDNA Deletions in Paraventricular Thalamus. **Molecular Psychiatry**, 21: 39-48
19. Kataoka M, Matoba N, Sawada T, Kazuno AA, Ishiwata M, Fujii K, Matsuo K, Takata A, Kato T (2016) Exome sequencing for bipolar disorder points to roles of de novo loss-of-function and protein-altering mutations. **Molecular Psychiatry** 21: 885-893.
20. Nakajima K, Kazuno A, Kelsoe J, Nakanishi M, Takumi T, Kato T (2016) Exome sequencing in the knockin mice generated using the CRISPR/Cas system. **Scientific Reports** 6: 34703
21. Nakamura T, Kazuno AA, Nakajima K, Kusumi I, Tsuboi T, Kato T (2016) Loss of function mutations in ATP2A2 and psychoses: A case report and literature survey. **Psychiatry and Clinical Neurosciences** 70: 342-50
22. Hou L, Heilbronner U, Degenhardt F, Adli M, Akiyama K, Akula N, Ardu R, Arias B, Backlund L, Banzato CE, Benabarre A, Bengesser S, Bhattacharjee AK, Biernacka JM, Birner A, Brichant-Petitjean C, Bui ET, Cervantes P, Chen GB, Chen HC, Chillotti C, Cichon S, Clark SR, Colom F, Cousins DA, Cruceanu C, Czerski PM, Dantas CR, Dayer A, Étain B, Falkai P, Forstner AJ, Frisé L, Fullerton JM, Gard S, Garnham JS, Goes FS, Grof P, Gruber O, Hashimoto R, Hauser J, Herms S, Hoffmann P, Hofmann A, Jamain S, Jiménez E, Kahn JP, Kassem L, Kittel-Schneider S, Kliwicky S, König B, Kusumi I, Lackner N, Laje G, Landén M,

- Lavebratt C, Leboyer M, Leckband SG, Jaramillo CA, MacQueen G, Manchia M, Martinsson L, Mattheisen M, McCarthy MJ, McElroy SL, Mitjans M, Mondimore FM, Monteleone P, Nievergelt CM, Nöthen MM, Ösby U, Ozaki N, Perlis RH, Pfennig A, Reich-Erkelenz D, Rouleau GA, Schofield PR, Schubert KO, Schweizer BW, Seemüller F, Severino G, Shekhtman T, Shilling PD, Shimoda K, Simhandl C, Slaney CM, Smoller JW, Squassina A, Stamm T, Stopkova P, Tighe SK, Tortorella A, Turecki G, Volkert J, Witt S, Wright A, Young LT, Zandi PP, Potash JB, DePaulo JR, Bauer M, Reininghaus EZ, Novák T, Aubry JM, Maj M, Baune BT, Mitchell PB, Vieta E, Frye MA, Rybakowski JK, Kuo PH, Kato T, Grigoriu-Serbanescu M, Reif A, Del Zompo M, Bellivier F, Schalling M, Wray NR, Kelsoe JR, Alda M, Rietschel M, McMahon FJ, Schulze TG (2016) Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. **Lancet**, 38: 1085-1093
23. Kimura H, Tsuboi D, Wang C, Kushima I, Koide T, Ikeda M, Iwayama Y, Toyota T, Yamamoto N, Kunimoto S, Nakamura Y, Yoshimi A, Banno M, Xing J, Takasaki Y, Yoshida M, Aleksic B, Uno Y, Okada T, Iidaka T, Inada T, Suzuki M, Ujike H, Kunugi H, Kato T, Yoshikawa T, Iwata N, Kaibuchi K, Ozaki N (2015) Identification of Rare, Single-Nucleotide Mutations in NDE1 and Their Contributions to Schizophrenia Susceptibility. **Schizophrenia Bulletin**, 41: 744-753
  24. Sugawara H, Bundo M, Asai T, Sunaga F, Ueda J, Ishigooka J, Kasai K, Kato T, Iwamoto K (2015) Effects of quetiapine on DNA methylation in neuroblastoma cells. **Progress in Neuro-Psychopharmacology and Biological Psychiatry**, 56: 117-121
  25. Fuke S, Kametani M, Yamada K, Kasahara T, Kubota-Sakashita M, Kujoth GC, Prolla TA, Hitoshi S, Kato T (2014) Heterozygous Polg mutation causes motor dysfunction due to mtDNA deletions. **Annals of Clinical and Translational Neurology**, 1: 909-920
  26. Saito T, Kondo K, Iwayama Y, Shimasaki A, Aleksic B, Yamada K, Toyota T, Hattori E, Esaki K, Ujike H, Inada T, Kunugi H, Kato T, Yoshikawa T, Ozaki N, Ikeda M, Iwata N (2014) Replication and cross-phenotype study based upon schizophrenia GWASs data in the Japanese population: Support for association of MHC region with psychosis. **American Journal of Medical Genetics**, 165B: 421-427
  27. Kubota-Sakashita M, Iwamoto K, Bundo M, Kato T (2014) A role of ADAR2 and RNA editing of glutamate receptors in mood disorders and schizophrenia. **Molecular Brain**, 7: 5
  28. Bundo M, Toyoshima M, Okada Y, Akamatsu W, Ueda J, Nemoto-Miyauchi T, Sunaga F, Toritsuka M, Ikawa D, Kakita A, Kato M, Kasai K, Kishimoto T, Nawa H, Okano H, Yoshikawa T, Kato T, Iwamoto K (2014) Increased L1 retrotransposition in the neuronal genome in schizophrenia. **Neuron** 81: 306-313
  29. Mehta D, Iwamoto K, Ueda J, Bundo M, Adati N, Kojima T, Kato T (2013) Comprehensive survey of CNVs influencing gene expression in the human brain and its implications for pathophysiology. **Neuroscience Research** 79: 22-33
  30. Ikegame T, Bundo M, Sunaga F, Asai T, Nishimura F, Yoshikawa A, Kawamura Y, Hibino H, Tochigi M, Kakiuchi C, Sasaki T, Kato T, Kasai K, Iwamoto K (2013) DNA methylation analysis of BDNF gene promoters in peripheral blood cells of schizophrenia patients. **Neuroscience Research** 77: 208-214

31. Yoshida S, Esposito G, Ohnishi R, Tsuneoka Y, Okabe S, Kikusui T, Kato T, Kuroda KO (2013) Transport Response is a filial-specific behavioral response to maternal carrying in C57BL/6 mice. *Frontiers in Zoology*, 10: 50
32. Asai T, Bundo M, Sugawara H, Sunaga F, Ueda J, Tanaka G, Ishigooka J, Kasai K, Kato T, Iwamoto K (2013) Effect of mood stabilizers on DNA methylation in human neuroblastoma cells. *International Journal of Neuropsychopharmacology*, 16: 2285-2294
33. Kondo K, Ikeda M, Kajio Y, Saito T, Iwayama Y, Aleksic B, Yamada K, Toyota T, Hattori E, Ujike H, Inada T, Kunugi H, Kato T, Yoshikawa T, Ozaki N, Iwata N (2013) Genetic Variants on 3q21 and in the Sp8 Transcription Factor Gene (SP8) as Susceptibility Loci for Psychotic Disorders: A Genetic Association Study. *PLOS One*, 8: e70964
34. Manchia M, Adli M, Akula N, Arduini R, Aubry JM, Backlund L, Banzato CE, Baune BT, Bellivier F, Bengesser S, Biernacka JM, Brichant-Petitjean C, Bui E, Calkin CV, Cheng AT, Chillotti C, Cichon S, Clark S, Czerski PM, Dantas C, Zompo MD, Depaulo JR, Detera-Wadleigh SD, Etain B, Falkai P, Fris?n L, Frye MA, Fullerton J, Gard S, Garnham J, Goes FS, Grof P, Gruber O, Hashimoto R, Hauser J, Heilbronner U, Hoban R, Hou L, Jamain S, Kahn JP, Kassem L, Kato T, Kelsoe JR, Kittel-Schneider S, Kliwicky S, Kuo PH, Kusumi I, Laje G, Lavebratt C, Leboyer M, Leckband SG, L?pez Jaramillo CA, Maj M, Malafosse A, Martinsson L, Masui T, Mitchell PB, Mondimore F, Monteleone P, Nallet A, Neuner M, Nov?k T, O'Donovan C, Osby U, Ozaki N, Perlis RH, Pfennig A, Potash JB, Reich-Erkelenz D, Reif A, Reininghaus E, Richardson S, Rouleau GA, Rybakowski JK, Schalling M, Schofield PR, Schubert OK, Schweizer B, Seem?ller F, Grigoriou-Serbanescu M, Severino G, Seymour LR, Slaney C, Smoller JW, Squassina A, Stamm T, Steele J, Stopkova P, Tighe SK, Tortorella A, Turecki G, Wray NR, Wright A, Zandi PP, Zilles D, Bauer M, Rietschel M, McMahon FJ, Schulze TG, Alda M (2013) Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. *PLOS One*, 8: e65636
35. Balan S, Yamada K, Iwayama Y, Toyota T, Ohnishi T, Maekawa M, Toyoshima M, Iwata Y, Suzuki K, Kikuchi M, Ujike H, Inada T, Kunugi H, Ozaki N, Iwata N, Nanko S, Kato T, Yoshikawa T (2013) Lack of association of EGR2 variants with bipolar disorder in Japanese population. *Gene*, 526: 246-250
36. Esposito G, Yoshida S, Ohnishi R, Tsuneoka Y, Rostagno Mdel C, Yokota S, Okabe S, Kamiya K, Hoshino M, Shimizu M, Venuti P, Kikusui T, Kato T, Kuroda KO (2013) Infant Calming Responses during Maternal Carrying in Humans and Mice. *Current Biology*, 23: 739-745
37. Tsuneoka Y, Maruyama T, Yoshida S, Nishimori K, Kato T, Numan M, Kuroda KO (2013) Functional, anatomical, and neurochemical differentiation of medial preoptic area subregions in relation to maternal behavior in the mouse. *Journal of Comparative Neurology* 521: 1633-63.
38. Nishioka M, Shimada T, Bundo M, Ukai W, Hashimoto E, Saito T, Kano Y, Sasaki T, Kasai K, Kato T, Iwamoto K (2013) Neuronal cell-type specific DNA methylation patterns of the Cacna1c gene. *International Journal of Developmental Neuroscience* 31: 89-95
39. Yoshinaga T, Hashimoto E, Ukai W, Ishii T, Shirasaka T, Kigawa Y, Tateno M, Kaneta H,

- Watanabe K, Igarashi T, Kobayashi S, Sohma H, Kato T, Saito T (2013) Effects of atelocollagen on neural stem cell function and its migrating capacity into brain in psychiatric disease model. *Journal of Neural Transmission*, 120: 1491-1498
40. Kazuno A, Ohtawa K, Otsuki K, Usui M, Sugawara H, Okazaki Y, Kato T (2013) Proteomic analysis of lymphoblastoid cells derived from monozygotic twins discordant for bipolar disorder: a preliminary study. *PLOS One*, 8: e53855
  41. Takata A, Iwayama Y, Fukuo Y, Ikeda M, Okochi T, Maekawa M, Toyota T, Yamada K, Hattori E, Ohnishi T, Toyoshima M, Ujike H, Inada T, Kunugi H, Ozaki N, Nanko S, Nakamura K, Mori N, Kanba S, Iwata N, Kato T, Yoshikawa T (2013) A Population-Specific Uncommon Variant in *GRIN3A* Associated with Schizophrenia. *Biological Psychiatry*, 73: 532-539
  42. Bundo M, Sunaga F, Ueda J, Kasai K, Kato T, Iwamoto K (2012) A systematic evaluation of whole genome amplification of bisulfite-modified DNA. *Clinical Epigenetics*, 4: 22
  43. Kishi T, Ichinose H, Yoshimura R, Fukuo Y, Kitajima T, Inada T, Kunugi H, Kato T, Yoshikawa T, Ujike H, Musso GM, Umene-Nakano W, Nakamura J, Ozaki N, Iwata N (2012) GTP cyclohydrolase 1 gene haplotypes as predictors of SSRI response in Japanese patients with major depressive disorder. *Journal of affective disorders*. *Journal of Affective Disorders*, 142: 315-322
  44. Yu CC, Furukawa M, Kobayashi K, Shikishima C, Cha PC, Sese J, Sugawara H, Iwamoto K, Kato T, Ando J, Toda T (2012) Genome-wide DNA methylation and gene expression analyses of monozygotic twins discordant for intelligence levels. *PLOS One*, 7: e47081
  45. Matsunaga S, Ikeda M, Kishi T, Fukuo Y, Aleksic B, Yoshimura R, Okochi T, Yamanouchi Y, Kinoshita Y, Kawashima K, Umene-Nakano W, Inada T, Kunugi H, Kato T, Yoshikawa T, Ujike H, Nakamura J, Ozaki N, Kitajima T, Iwata N (2012) An evaluation of polymorphisms in casein kinase 1 delta and epsilon genes in major psychiatric disorders. *Neuroscience Letters*, 529: 66-69.
  46. Kishi T, Yoshimura R, Fukuo Y, Kitajima T, Okochi T, Matsunaga S, Inada T, Kunugi H, Kato T, Yoshikawa T, Ujike H, Umene-Nakano W, Nakamura J, Ozaki N, Serretti A, Correll CU, Iwata N (2011) The CLOCK gene and mood disorders: A case-control study and meta-analysis. *Chronobiology International*, 28: 825-833
  47. Sugawara H, Iwamoto K, Bundo M, Ueda J, Miyauchi T, Komori A, Kazuno A, Adati N, Kusumi I, Okazaki Y, Ishigooka J, Kojima T, Kato T (2011) Hypermethylation of serotonin transporter gene in bipolar disorder detected by epigenome analysis of discordant monozygotic twins. *Translational Psychiatry*, 1, e24
  48. Takata A, Kato M, Nakamura M, Yoshikawa T, Kanba S, Sano A, Kato T (2011) Exome sequencing identifies a novel missense variant in *RRM2B* associated with autosomal recessive progressive external ophthalmoplegia. *Genome Biology* 12: R92

49. Kato T, Hayashi-Takagi A, Toyota T, Yoshikawa T, Iwamoto K (2011) Gene expression analysis in lymphoblastoid cells as a potential biomarker of bipolar disorder. **Journal of Human Genetics** 56: 779-783
50. Yamada K, Iwayama Y, Hattori E, Iwamoto K, Toyota T, Ohnishi T, Ohba H, Maekawa M, Kato T, Yoshikawa T (2011) Genome-Wide Association Study of Schizophrenia in Japanese Population. **PLOS One** 6: e20468
51. Kishi T, Fukuo Y, Kitajima T, Okouchi T, Yamanouchi Y, Kinoshita Y, Kawashima K, Inada T, Kunugi H, Kato T, Yoshikawa T, Ujike H, Ozaki N, Iwata N (2011) *SIRT1* gene, schizophrenia and bipolar disorder in the Japanese population: an association study. **Genes, Brain and Behavior** 10: 257-263
52. Iwamoto K, Ueda J, Bundo M, Kojima T, Kato T (2011) Survey of the effect of genetic variations on gene expression in human prefrontal cortex and its application to genetics of psychiatric. **Neuroscience Research** 70: 238-242
53. Iwamoto K, Bundo M, Ueda J, Oldham MC, Ukai W, Hashimoto E, Saito T, Geschwind DH, Kato T (2011) Neurons show distinctive DNA methylation profile and higher interindividual variations compared with non-neurons. **Genome Research** 21: 688-696
54. Takata A, Kawasaki H, Iwayama Y, Yamada K, Gotoh L, Mitsuyasu H, Miura T, Kato T, Yoshikawa T, Kanba S (2011) Nominal association between a polymorphism in *DGKH* and bipolar disorder detected in a meta-analysis of East Asian case-control samples. **Psychiatry and Clinical Neurosciences** 65: 280-285
55. Sugawara H, Iwamoto K, Bundo M, Ueda J, Ishigooka J, Kato T (2011) Comprehensive DNA methylation analysis of human peripheral blood leukocytes and lymphoblastoid cell lines. **Epigenetics** 6: 508-515
56. Takata A, Kim SH, Ozaki N, Iwata N, Kunugi H, Inada T, Ujike H, Nakamura K, Mori N, Ahn YM, Joo EJ, Song JY, Kanba S, Yoshikawa T, Kim YS, Kato T (2011) Association of *ANK3* with bipolar disorder confirmed in East Asia. **American Journal of Medical Genetics, Part B** 156: 312-315
57. Fuke S, Kubota-Sakashita M, Kasahara T, Shigeyoshi Y, Kato T (2011) Regional variation in mitochondrial DNA copy number in mouse brain. **Biochimica et Biophysica Acta** 1807: 270-274
58. Kishi T, Okochi T, Tsunoka T, Okumura T, Kitajima T, Kawashima K, Yamanouchi Y, Kinoshita Y, Naitoh H, Inada T, Kunugi H, Kato T, Yoshikawa T, Ujike H, Ozaki N, Iwata N (2011) Serotonin 1A receptor gene, schizophrenia and bipolar disorder: An association study and meta-analysis. **Psychiatry Research** 185: 20-26
59. Takata A, Kakiuchi C, Ishiwata M, Kanba S, Kato T (2010) Behavioral and gene expression analyses in heterozygous *XBP1* knockout mice: Possible contribution of chromosome 11qA1

locus to prepulse inhibition **Neuroscience Research** 68: 250-255

60. Fukuo Y, Kishi T, Yoshimura R, Kitajima T, Okochi T, Yamanouchi Y, Kinoshita Y, Kawashima K, Naitoh H, Nakano WU, Inada T, Kunugi H, Kato T, Yoshikawa T, Ujike H, Nakamura J, Ozaki N, Iwata N (2010) Serotonin 6 receptor gene and mood disorders: Case-control study and meta-analysis. **Neuroscience Research** 67: 250-255
61. Inoue H, Yamasue H, Tochigi M, Suga M, Iwayama Y, Abe O, Yamada H, Rogers MA, Aoki S, Kato T, Sasaki T, Yoshikawa T, Kasai K(2010) Functional (GT)<sub>n</sub> polymorphisms in promoter region of *N*-methyl-d-aspartate receptor 2A subunit (*GRIN2A*) gene affect hippocampal and amygdala volumes. **Genes, Brain and Behavior** 9: 269-275
62. Kubota M, Kasahara T, Iwamoto K, Komori A, Ishiwata M, Miyauchi T, Kato T (2010) Therapeutic implications of down-regulation of cyclophilin D in bipolar disorder. **International Journal of Neuropsychopharmacology** 13: 1355-1368
63. Kasahara T, Abe K, Mekada K, Yoshiki A, Kato T (2010) Genetic variation of melatonin productivity in laboratory mice under domestication. **Proceedings of the National Academy of Sciences of the United States of America** 107: 6412-6417
64. Kushima I, Aleksic B, Ito Y, Nakamura Y, Nakamura K, Mori N, Kikuchi M, Inada T, Kunugi H, Nanko S, Kato T, Yoshikawa T, Ujike H, Suzuki M, Iwata N, Ozaki N (2010) Association study of ubiquitin-specific peptidase 46 (USP46) with bipolar disorder and schizophrenia in a Japanese population. **Journal of Human Genetics** 55: 133-136
65. Abe O, Yamasue H, Kasai K, Yamada H, Aoki S, Inoue H, Takei K, Suga M, Matsuo K, Kato T, Masutani Y, Ohtomo K (2010) Voxel-based analyses of gray/white matter volume and diffusion tensor data in major depression. **Psychiatry Research** 181: 64-70
66. Bundo M, Iwamoto K, Yamada K, Yoshikawa T, Kato T (2010) Mutation screening and assessment of the effect of genetic variations on expression and RNA editing of serotonin receptor 2C in the human brain. **Psychiatry and Clinical Neurosciences** 64: 57-61
67. Sugawara H, Iwamoto K, Bundo M, Ishiwata M, Ueda J, Kakiuchi C, Ishigooka J, Kato T (2010) Effect of mood stabilizers on gene expression in lymphoblastoid cells. **Journal of Neural Transmission** 117: 155-164
68. Kuroda KO, Omthanalai VG, Kato T, Murphy NP (2010) FosB null mutant mice show enhanced methamphetamine neurotoxicity: Potential involvement of FosB in intracellular feedback signaling and astroglial function. **Neuropsychopharmacology** 35: 641-655
69. Ohtani T, Matsuo K, Kasai K, Kato T, Kato N (2009) Hemodynamic responses of eye movement desensitization and reprocessing in posttraumatic stress disorder. **Neuroscience Research**. 65: 375-383
70. Iwayama Y, Hattori E, Maekawa M, Yamada K, Toyota T, Ohnishi T, Iwata Y, Tsuchiya KJ,

- Sugihara G, Kikuchi M, Hashimoto K, Iyo M, Inada T, Kunugi H, Ozaki N, Iwata N, Nanko S, Iwamoto K, Okazaki Y, Kato T, Yoshikawa T (2009) Association analyses between brain-expressed fatty-acid binding protein (*FABP*) genes and schizophrenia and bipolar disorder. ***American Journal of Medical Genetics***, Part B (Neuropsychiatric Genetics) 153B: 484-493
71. Nakatani J, Tamada K, Hatanaka F, Ise S, Ohta H, Inoue K, Tomonaga S, Watanabe Y, Chung YJ, Banerjee R, Iwamoto K, Kato T, Okazawa M, Yamauchi K, Tanda K, Takao K, Miyakawa T, Bradley A, Takumi T (2009) Abnormal behavior in a chromosome-engineered mouse model for human 15q11-13 duplication seen in autism. ***Cell*** 137: 1235-1246
  72. Hattori E, Toyota T, Ishitsuka Y, Iwayama Y, Yamada K, Ujike H, Morita Y, Kodama M, Nakata K, Minabe Y, Nakamura K, Iwata Y, Takei N, Mori N, Naitoh H, Yamanouchi Y, Iwata N, Ozaki N, Kato T, Nishikawa T, Kashiwa A, Suzuki M, Shioe K, Shinohara M, Hirano M, Nanko S, Akahane A, Ueno M, Kaneko N, Watanabe Y, Someya T, Hashimoto K, Iyo M, Itokawa M, Arai M, Nankai M, Inada T, Yoshida S, Kunugi H, Nakamura M, Iijima Y, Okazaki Y, Higuchi T, Yoshikawa T (2009) Preliminary genome-wide association study of bipolar disorder in the Japanese population. ***American Journal of Medical Genetics***, Part B (Neuropsychiatric Genetics) 150B: 8 1110-1117
  73. Washizuka S, Iwamoto K, Kakiuchi C, Bundo M, Kato T (2009) Expression of mitochondrial complex I subunit gene *NDUFV2* in the lymphoblastoid cells derived from patients with bipolar disorder and schizophrenia. ***Neuroscience Research*** 63: 199-204
  74. Kakiuchi C, Ishigaki S, Osowski CM, Fonseca SG, Kato T, Urano F (2009) Valproate, a mood stabilizer, induces *WFS1* expression and modulates its interaction with ER stress protein GRP94. ***PLOS One*** 4: e4134
  75. Hayashi A, Kasahara T, Kametani M, Toyota T, Yoshikawa T, Kato T (2009) Aberrant endoplasmic reticulum stress response in lymphoblastoid cells from patients with bipolar disorder. ***International Journal of Neuropsychopharmacology*** 12: 33-43
  76. Kazuno A, Munakata K, Mori K, Nanko S, Kunugi H, Nakamura K, Mori N, Yamada K, Yoshikawa T, Kato N, Kato T (2009) Mitochondrial DNA haplogroup analysis in patients with bipolar disorder. ***American Journal of Medical Genetics***, Part B (Neuropsychiatric Genetics) 150B: 243-247
  77. Oldham MC, Konopka G, Iwamoto K, Langfelder P, Kato T, Horvath S, Geschwind DH (2008) Functional organization of the transcriptome in human brain. ***Nature Neuroscience*** 11: 1271 – 1282
  78. Hayashi A, Kasahara T, Kametani M, Kato T (2008) Attenuated BDNF-induced upregulation of GABAergic markers in neurons lacking *Xbp1*. ***Biochemical and Biophysical Research Communications*** 376: 758-763
  79. Yamasue H, Kakiuchi C, Tochigi M, Inoue H, Suga M, Abe O, Yamada H, Sasaki T, Rogers MA, Aoki S, Kato T, Kasai K (2008) Association between mitochondrial DNA 10398A>G

polymorphism and the volume of amygdala. **Genes, Brain and Behavior** 7: 698-704.

80. Izumi A, Iijima Y, Noguchi H, Numakawa T, Okada T, Hori H, Kato T, Tatsumi M, Kosuga A, Kamijima K, Asada T, Arima K, Saitoh O, Shiosaka S, Kunugi H (2008) Genetic variations of human neuropeptide Y gene and psychiatric disorders: polymorphism screening and possible association with bipolar disorder and cognitive functions. **Neuropsychopharmacology** 33: 3237-3245
81. Kakiuchi C, Ishiwata M, Nanko S, Ozaki N, Iwata N, Umekage T, Tochigi M, Kohda K, Sasaki T, Imamura A, Okazaki Y, Kato T (2008) Up-regulation of *ADM* and *SEPX1* in the lymphoblastoid cells of patients in monozygotic twins discordant for schizophrenia. **American Journal of Medical Genetics, Part B (Neuropsychiatric Genetics)** 147B: 557-564
82. Fuke S, Kametani M, Kato T (2008) Quantitative analysis of the 4977-bp common deletion of mitochondrial DNA in postmortem frontal cortex from patients with bipolar disorder and schizophrenia. **Neuroscience Letters** 439: 173-177
83. Kato T, Ishiwata M, Yamada K, Kasahara T, Kakiuchi C, Iwamoto K, Kawamura K, Ishihara H, Oka Y (2008) Behavioral and gene expression analyses of *Wfs1* knockout mice as a possible animal model of mood disorder. **Neuroscience Research** 61: 143-158
84. Kuroda KO, Meaney MJ, Uetani N, Kato T (2008) Neurobehavioral basis of the impaired nurturing in mice lacking the immediate early gene FosB. **Brain Research** 1211: 57-71
85. Kasahara T, Kubota M, Miyauchi T, Ishiwata M, Kato T (2008) A marked effect of electroconvulsive stimulation on behavioral aberration of mice with neuron-specific mitochondrial DNA defects. **PLOS One** 3: e1877
86. Tochigi M, Iwamoto K, Bundo M, Komori A, Sasaki T, Kato N, Kato T (2008) Methylation status of the reelin promoter region in the brain of schizophrenic patients. **Biological Psychiatry** 63: 530-533
87. Kuratomi G, Iwamoto K, Bundo M, Kusumi I, Kato N, Iwata N, Ozaki N, Kato T (2008) Aberrant DNA methylation associated with bipolar disorder identified from discordant monozygotic twins. **Molecular Psychiatry** 13: 429-441
88. Kazuno A, Munakata K, Tanaka M, Kato N, Kato T (2008) Relationships between mitochondrial DNA subhaplogroups and intracellular calcium dynamics. **Mitochondrion** 8: 164-169
89. Yoshimi A, Takahashi N, Saito A, Ito Y, Aleksic B, Usui H, Kawamura Y, Waki Y, Yoshikawa T, Kato T, Iwata N, Inada T, Noda Y, Ozaki N (2008) Genetic analysis of the gene coding for DARPP-32 (*PPP1R1B*) in Japanese patients with schizophrenia or bipolar disorder. **Schizophrenia Research** 100: 334-341
90. Iwamoto K, Ueda J, Bundo M, Nakano Y, Kato T (2008) Effect of a functional single nucleotide

polymorphism in the 2',3'-cyclic nucleotide 3'-phosphodiesterase gene on the expression of oligodendrocyte-related genes in schizophrenia. ***Psychiatry and Clinical Neurosciences*** 62: 103-108

91. Masui T, Hashimoto R, Kusumi I, Suzuki K, Tanaka T, Nakagawa S, Suzuki T, Iwata N, Ozaki N, Kato T, Takeda M, Kunugi H, Koyama T (2008) A possible association between missense polymorphism of the breakpoint cluster region gene and lithium prophylaxis in bipolar disorder. ***Progress in Neuro-psychopharmacology & Biological Psychiatry*** 32: 204-208
92. Tochigi M, Iwamoto K, Bundo M, Sasaki T, Kato N, Kato T (2008) Gene expression profiling of major depression and suicide in the prefrontal cortex of postmortem brains. ***Neuroscience Research*** 60: 184-191
93. Kazuno A, Munakata K, Kato N, Kato T (2008) Mitochondrial DNA-dependent effects of valproate on mitochondrial calcium levels in transmitochondrial cybrids. ***International Journal of Neuropsychopharmacology*** 11: 71-78
94. Iwamoto K, Bundo M, Ueda J, Nakano Y, Ukai W, Hashimoto E, Saito T, Kato T (2007) Detection of chromosomal structural alterations in single cells by SNP arrays: a systematic survey of amplification bias and optimized workflow. ***PLOS One*** 2: e1306
95. Iwamoto K, Ueda J, Nakano Y, Bundo M, Ukai W, Hashimoto E, Saito T, Kato T (2007) Evaluation of whole genome amplification methods using postmortem brain samples. ***Journal of Neuroscience Methods*** 165: 104-110
96. Matsuo K, Kouno T, Hatch JP, Seino K, Ohtani T, Kato N, Kato T (2007) A near-infrared spectroscopy study of prefrontal cortex activation during a verbal fluency task and carbon dioxide inhalation in individuals with bipolar disorder. ***Bipolar Disorders*** 9: 876-883
97. Kakiuchi C, Ishiwata M, Nanko S, Kunugi H, Minabe Y, Nakamura K, Mori N, Fujii K, Umekage T, Tochigi M, Kohda K, Sasaki T, Yamada K, Yoshikawa T, Kato T (2007) Association analysis of HSP90B1 with bipolar disorder. ***Journal of Human Genetics*** 52: 794-803
98. Hayashi A, Kasahara T, Iwamoto K, Ishiwata M, Kametani M, Kakiuchi C, Furuichi T, Kato T (2007) The role of brain-derived neurotrophic factor (BDNF)-induced *XBP1* splicing during brain development. ***Journal of Biological Chemistry*** 282: 34525-34534
99. Kuroda K, Meaney MJ, Uetani N, Fortin Y, Ponton A, Kato T (2007) ERK-FosB signaling in dorsal MPOA neurons plays a major role in the initiation of parental behavior in mice. ***Molecular and Cellular Neuroscience*** 36: 121-131
100. Ohnishi T, Yamada K, Ohba H, Iwayama Y, Toyota T, Hattori E, Inada T, Kunugi H, Tatsumi M, Ozaki N, Iwata N, Sakamoto K, Iijima Y, Iwata Y, Tsuchiya KJ, Sugihara G, Nanko S, Osumi N, Detera-Wadleigh SD, Kato T, Yoshikawa T (2007) A promoter haplotype of the inositol monophosphatase 2 gene (*IMPA2*) at 18p11.2 confers a possible risk for bipolar disorder by enhancing transcription. ***Neuropsychopharmacology*** 32: 1727-1737

101. Nakatani N, Ohnishi T, Iwamoto K, Watanabe A, Iwayama Y, Yamashita S, Ishitsuka Y, Moriyama K, Nakajima M, Tatebayashi Y, Akiyama H, Higuchi T, Kato T, Yoshikawa T (2007) Expression analysis of actin-related genes as an underlying mechanism for mood disorders. ***Biochemical and Biophysical Research Communications*** 352: 780-786
102. Munakata K, Fujii K, Nanko S, Kunugi H, Kato T (2007) Sequence and functional analyses of mtDNA in a maternally inherited family with bipolar disorder and depression. ***Mutation Research*** 617: 119-124
103. Kakiuchi C, Ishiwata M, Nanko S, Kunugi H, Minabe Y, Nakamura K, Mori N, Fujii K, Yamada K, Yoshikawa T, Kato T (2007) Association analysis of ATF4 and ATF5, genes for interacting-proteins of DISC1, in bipolar disorder. ***Neuroscience Letters*** 417: 316-321
104. Yamasue H, Abe O, Kasai K, Suga M, Iwanami A, Yamada H, Tochigi M, Ohtani T, Rogers MA, Sasaki T, Aoki S, Kato T, Kato N (2007) Human brain structural change related to acute single exposure to sarin. ***Annals of Neurology*** 61: 37-46
105. Tochigi M, Zhang X, Ohashi J, Hibino H, Otowa T, Rogers M, Kato T, Okazaki Y, Kato N, Tokunaga K, Sasaki T (2007) Association study between the TNXB locus and schizophrenia in a Japanese population. ***American Journal of Medical Genetics, Part B (Neuropsychiatric Genetics)*** 144: 305-309
106. Iwamoto K, Bundo M, Ueda J, Kato T (2006) Expression of ribosomal subunit genes increased coordinately with postmortem interval in human brain. ***Molecular Psychiatry*** 11: 1067-1069
107. Kubota M, Kasahara T, Nakamura T, Ishiwata M, Miyauchi T, Kato T (2006) Abnormal Ca<sup>2+</sup> dynamics in transgenic mice with neuron-specific mitochondrial DNA defects. ***Journal of Neuroscience*** 26: 12314-12324
108. Kazuno A, Munakata K, Nagai T, Shimozono S, Tanaka M, Yoneda M, Kato N, Miyawaki A, Kato T (2006) Identification of mitochondrial DNA polymorphisms that alter mitochondrial matrix pH and intracellular calcium dynamics. ***PLoS Genetics*** 2: e128
109. Tochigi M, Suga M, Ohashi J, Otowa T, Yamasue H, Kasai K, Kato T, Okazaki Y, Kato N, Sasaki T (2006) No association between the metabotropic glutamate receptor type 3 gene (GRM3) and schizophrenia in a Japanese population. ***Schizophrenia Research*** 88: 260-264
110. Nakatani N, Hattori E, Ohnishi T, Dean B, Iwayama Y, Matsumoto I, Kato T, Osumi N, Higuchi T, Niwa S, Yoshikawa T (2006) Genome-wide expression analysis detects eight genes with robust alterations specific to bipolar 1 disorder: relevance to neuronal network perturbation. ***Human Molecular Genetics*** 15: 1949-1962
111. Kasahara T, Kubota M, Miyauchi T, Noda Y, Mouri A, Nabeshima T, Kato T (2006) Mice with neuron-specific accumulation of mitochondrial DNA mutations show mood disorder-like phenotypes. ***Molecular Psychiatry*** 11: 577-593

112. Masui T, Hashimoto R, Kusumi I, Suzuki K, Tanaka T, Nakagawa S, Suzuki T, Iwata N, Ozaki N, Kato T, Kunugi H, Koyama T (2006) Lithium response and Val66Met polymorphism of the brain-derived neurotrophic factor gene in Japanese patients with bipolar disorder. ***Psychiatric Genetics*** 16: 49-50
113. Okada T, Hashimoto R, Numakawa T, Iijima Y, Kosuga A, Tatsumi M, Kamijima K, Kato T, Kunugi H (2006) A complex polymorphic region in the brain-derived neurotrophic factor (BDNF) gene confers susceptibility to bipolar disorder and affects transcriptional activity. ***Molecular Psychiatry*** 11: 695-703
114. Iwamoto K, Bundo M, Yamada K, Takao H, Iwayama Y, Yoshikawa T, Kato T (2006) A family-based and case-control association study of *SOX10* in schizophrenia. ***American Journal of Medical Genetics, Part B (Neuropsychiatric Genetics)*** 141: 477-481
115. Washizuka S, Kametani M, Sasaki T, Tochigi M, Umekage T, Kohda K, Kato T (2006) Association of mitochondrial complex I subunit gene *NDUFV2* at 18p11 with schizophrenia in the Japanese population. ***American Journal of Medical Genetics, Part B (Neuropsychiatric Genetics)*** 141: 301-304
116. Kakiuchi C, Ishiwata M, Hayashi A, Kato T (2006) XBP1 induces WFS1 through an endoplasmic reticulum stress response element-like motif in SH-SY5Y cells. ***Journal of Neurochemistry*** 97: 545-555
117. Horiuchi Y, Arai M, Niizato K, Iritani S, Noguchi E, Ohtsuki T, Koga M, Kato T, Itokawa M, Arinami T (2006) A polymorphism in the *PDLIM5* gene associated with gene expression and schizophrenia. ***Biological Psychiatry*** 59: 434-439
118. Kohda K, Jinde S, Iwamoto K, Bundo M, Kato N, Kato T (2006) Maternal separation stress drastically decreases expression of transthyretin in the brains of adult rat offspring. ***International Journal of Neuropsychopharmacology*** 9: 201-208
119. Kazuno A, Munakata K, Mori K, Tanaka M, Nanko S, Kunugi H, Umekage T, Tochigi M, Kohda K, Sasaki T, Akiyama T, Washizuka S, Kato N, Kato T (2005) Mitochondrial DNA sequence analysis of patients with 'atypical psychosis'. ***Psychiatry and Clinical Neurosciences*** 59: 497-503
120. Aoki-Suzuki M, Yamada K, Meerabux J, Iwayama-Shigeno Y, Ohba H, Iwamoto K, Takao H, Toyota T, Suto Y, Nakatani N, Dean B, Nishimura S, Seki K, Kato T, Itohara S, Nishikawa T, Yoshikawa T (2005) A family-based association study and gene expression analyses of *netrin-G1* and *-G2* genes in schizophrenia. ***Biological Psychiatry*** 57: 382-393
121. Kusumi I, Masui T, Kakiuchi C, Suzuki K, Akimoto T, Hashimoto R, Kunugi H, Kato T, Koyama T (2005) Relationship between XBP1 genotype and personality traits assessed by TCI and NEO-FFI. ***Neuroscience Letters*** 391: 7-10

122. Munakata K, Bundo M, Kato T, Ono H, Sakura N, Oosaki M, Waki C, Tanaka M (2005) Co-existing point mutations of mitochondrial DNA in a patient with a heart abnormality and Pearson syndrome-like symptoms. *American Journal of Medical Genetics*, Part A 139A: 162-164
123. Kato C, Kakiuchi C, Umekage T, Tochigi M, Kato N, Kato T, Sasaki T (2005) XBP1 gene polymorphism (-116C/G) and personality. *American Journal of Medical Genetics*, Part B 136B: 103-105
124. Zhang X, Tochigi M, Ohashi J, Maeda K, Kato T, Okazaki Y, Kato N, Tokunaga K, Sawa A, Sasaki T (2005) Association study of the DISC1/TRAX locus with schizophrenia in a Japanese population. *Schizophrenia Research* 79: 175-180
125. Kakiuchi C, Ishiwata M, Kametani M, Nelson C, Iwamoto K, Kato T (2005) Quantitative analysis of mitochondrial DNA deletions in the brains of patients with bipolar disorder and schizophrenia. *International Journal of Neuropsychopharmacology* 8: 515-522
126. Kato T, Iwayama Y, Kakiuchi C, Iwamoto K, Yamada K, Minabe Y, Nakamura K, Mori N, Fujii K, Yoshikawa T, Nanko S (2005) Gene expression and association of *LIM (PDLIM5)* in bipolar disorder and schizophrenia. *Molecular Psychiatry* 10: 1045-1055
127. Kakiuchi C, Kato T (2005) Lithium response and -116C/G polymorphism of *XBP1* in Japanese patients with bipolar disorder. *International Journal of Neuropsychopharmacology* 8: 631-632
128. Iwamoto K, Bundo M, Kato T (2005) Estimating RNA editing efficiency of five editing sites in the serotonin 2C receptor by pyrosequencing. *RNA* 11: 1596-1603
129. Kakiuchi C, Ishiwata M, Nanko S, Kunugi H, Minabe Y, Nakamura K, Mori N, Fujii K, Umekage T, Tochigi M, Kohda K, Sasaki T, Yamada K, Yoshikawa T, Kato T (2005) Functional polymorphisms of HSPA5: Possible association with bipolar disorder. *Biochemical and Biophysical Research Communications* 336: 1136-1143
130. Iwamoto K, Nakatani N, Bundo M, Yoshikawa T, Kato T (2005) Altered RNA editing of serotonin 2C receptor in a rat model of depression. *Neuroscience Research* 53: 69-76
131. Iwamoto K, Bundo M, Yamada K, Takao H, Iwayama-Shigeno Y, Yoshikawa T, Kato T (2005) DNA methylation status of *SOX10* correlates with its downregulation and oligodendrocyte dysfunction in schizophrenia. *The Journal of Neuroscience* 25: 5376-5381
132. Matsuo K, Onodera Y, Hamamoto T, Muraki K, Kato N, Kato T (2005) Hypofrontality and microvascular dysregulation in remitted late-onset depression assessed by functional near-infrared spectroscopy. *NeuroImage* 26: 234-242
133. Hashimoto R, Okada T, Kato T, Kosuga A, Tatsumi M, Kamijima K, Kunugi H (2005) The

- breakpoint cluster region gene on chromosome 22q11 is associated with bipolar disorder. ***Biological Psychiatry*** 57: 1097-1102
134. Munakata K, Iwamoto K, Bundo M, Kato T (2005) Mitochondrial DNA 3243A>G mutation and increased expression of LARS2 gene in the brains of patients with bipolar disorder and schizophrenia. ***Biological Psychiatry*** 57: 525-532
135. Iwamoto K, Bundo M, Kato T (2005) Altered expression of mitochondria-related genes in postmortem brains of patients with bipolar disorder or schizophrenia, as revealed by large-scale DNA microarray analysis. ***Human Molecular Genetics*** 14: 241-253
136. Washizuka S, Kakiuchi C, Mori K, Tajima O, Akiyama T, Kato T (2005) Expression of mitochondria-related genes in lymphoblastoid cells from patients with bipolar disorder. ***Bipolar Disorders*** 7: 146-152
137. Ohtani T, Matsuo K, Kasai K, Kato T, Kato N (2005) Hemodynamic response to emotional memory recall with eye movement. ***Neuroscience Letters*** 380: 75-79
138. Munakata K, Tanaka M, Mori K, Washizuka S, Yoneda M, Tajima O, Akiyama T, Nanko S, Kunugi H, Tadokoro K, Ozaki N, Inada T, Sakamoto K, Fukunaga T, Iijima Y, Iwata N, Tatsumi M, Yamada K, Yoshikawa T, Kato T (2004) Mitochondrial DNA 3644T→C mutation associated with bipolar disorder. ***Genomics*** 84: 1041-1050
139. Ohtani T, Iwanami A, Kasai K, Yamasue H, Kato T, Sasaki T, Kato N (2004) Post-traumatic stress disorder symptoms in victims of Tokyo subway attack: a 5-year follow-up study. ***Psychiatry and Clinical Neurosciences*** 58: 624-629
140. Hamakawa H, Murashita J, Yamada N, Inubushi T, Kato N, Kato T (2004) Reduced intracellular pH in the basal ganglia and whole brain measured by phosphorus-31 magnetic resonance spectroscopy in bipolar disorder. ***Psychiatry and Clinical Neurosciences*** 58: 82-88
141. Kusumi I, Masui T, Kakiuchi C, Suzuki K, Akimoto T, Hashimoto R, Kunugi H, Kato T, Koyama T (2004) Lack of association between XBP1 genotype and calcium signaling in the platelets of healthy subjects. ***Neuroscience Letters*** 369: 1-3
142. Kunugi H, Iijima Y, Tatsumi M, Yoshida M, Hashimoto R, Kato T, Sakamoto K, Fukunaga T, Inada T, Suzuki T, Iwata N, Ozaki N, Yamada K, Yoshikawa T (2004) No association between the Val66Met polymorphism of the brain-derived neurotrophic factor gene and bipolar disorder in a Japanese population: a multicenter study. ***Biological Psychiatry*** 56: 376-8
143. Matsuo K, Watanabe A, Onodera Y, Kato N, Kato T (2004) Prefrontal hemodynamic response to verbal-fluency task and hyperventilation in bipolar disorder measured by multi-channel near-infrared spectroscopy. ***Journal of Affective Disorders*** 82: 85-92
144. Washizuka S, Iwamoto K, Kazuno A, Kakiuchi C, Mori K, Kametani M, Yamada K, Kunugi K,

- Tajima O, Akiyama T, Nanko S, Yoshikawa T, Kato T (2004) Association of mitochondrial complex I subunit gene NDUFV2 at 18p11 with bipolar disorder in Japanese and the national institute of mental health pedigrees. **Biological Psychiatry** 56: 483-489
145. Watanabe A, Kato T (2004) Cerebrovascular response to cognitive tasks in patients with schizophrenia measured by near-infrared spectroscopy. **Schizophrenia Bulletin** 30: 435-444
146. Ide M, Muratake T, Yamada K, Iwayama-Shigeno Y, Iwamoto K, Takao H, Toyota T, Kaneko N, Minabe Y, Nakamura K, Kato T, Mori N, Asada T, Someya T, Yoshikawa T (2004) Genetic and expression analyses of FZD3 in schizophrenia. **Biological Psychiatry** 56: 462-465
147. Kakiuchi C, Ishiwata M, Umekage T, Tochigi M, Kohda K, Sasaki T, Kato T (2004) Association of the XBP1-116C/G polymorphism with schizophrenia in the Japanese population. **Psychiatry and Clinical Neurosciences** 58: 438-440
148. Iwamoto K, Bundo M, Yamamoto M, Ozawa H, Saito T, Kato T (2004) Decreased expression of NEFH and PCP4/PEP19 in the prefrontal cortex of alcoholics. **Neuroscience Research** 49: 379-385
149. Watanabe A, Shibata I, Kato T (2004) Differences of satisfaction with medication between patients with schizophrenia treated with typical antipsychotics and atypical antipsychotics. **Psychiatry and Clinical Neurosciences** 58: 268-273
150. Iwamoto K, Bundo M, Washizuka S, Kakiuchi C, Kato T (2004) Expression of HSPF1 and LIM in the lymphoblastoid cells derived from patients with bipolar disorder and schizophrenia. **Journal of Human Genetics** 49: 227-231
151. Iwamoto K, Kakiuchi C, Bundo M, Ikeda K, Kato T (2004) Molecular characterization of bipolar disorder by comparing gene expression profiles of postmortem brains of major mental disorders. **Molecular Psychiatry** 9: 406-416
152. Mori T, Sasaki T, Iwanami A, Araki T, Mizuno K, Kato T, Kato N (2003) Smoking habits in Japanese patients with schizophrenia. **Psychiatry Research** 120: 207-209
153. Yamasue H, Fukui T, Fukuda R, Kasai K, Iwanami A, Kato N, Kato T (2003) Drug-induced parkinsonism in relation to choline-containing compounds measured by <sup>1</sup>H-MR-spectroscopy in putamen of chronically medicated patients with schizophrenia. **International Journal of Neuropsychopharmacology** 6: 353-360
154. Kato T, Ishiwata M, Mori K, Washizuka S, Tajima O, Akiyama T, Kato N (2003) Mechanisms of altered Ca<sup>2+</sup> signalling in transformed lymphoblastoid cells from patients with bipolar disorder. **International Journal of Neuropsychopharmacology** 6: 379-389
155. Iwamoto K, Kato T (2003) RNA editing of serotonin 2C receptor in human postmortem brains of major mental disorders. **Neuroscience Letters** 346: 169-172

156. Washizuka S, Ikeda A, Kato N, Kato T (2003) Possible relationship between mitochondrial DNA polymorphisms and lithium response in bipolar disorder. ***International Journal of Neuropsychopharmacology*** 6: 421-424
157. Kakiuchi C, Iwamoto K, Ishiwata M, Bundo M, Kasahara T, Kusumi I, Tsujita T, Okazaki Y, Nanko S, Kunugi H, Sasaki T, Kato T (2003) Impaired feedback regulation of XBP1 as a genetic risk factor for bipolar disorder. ***Nature Genetics*** 35: 171-175
158. Matsuo K, Taneichi K, Matsumoto A, Ohtani T, Yamasue H, Sakano Y, Sasaki T, Sadamatsu M, Kasai K, Iwanami A, Asukai N, Kato N, Kato T (2003) Hypoactivation of the prefrontal cortex during verbal fluency test in PTSD: a near-infrared spectroscopy study. ***Psychiatry Research: Neuroimaging*** 124: 1-10
159. Kasahara T, Kato T (2003) A new redox-cofactor vitamin for mammals. ***Nature*** 422:832
160. Washizuka S, Kakiuchi C, Mori K, Kunugi H, Tajima O, Akiyama T, Nanko S, Kato T (2003) Association of decreased expressed and promotor polymorphisms of mitochondrial complex I subunit gene NDUFV2 with bipolar disorder. ***American Journal of Medical Genetics, Part B (Neuropsychiatric Genetics)*** 120B: 72-78
161. Kato T, Iwamoto K, Washizuka S, Mori K, Tajima O, Akiyama T, Nanko S, Kunugi H, Kato N (2003) No association of mutations and mRNA expression of WFS1/wolframin with bipolar disorder. ***Neuroscience Letters*** 338: 21-24
162. Watanabe A, Matsuo K, Kato N, Kato T (2003) The cerebral blood volume in healthy adult during cognitive task and hyperventilation measured by Near-infrared spectroscopy. ***Journal of Neuropsychiatry and Clinical Neurosciences*** 15: 442-449
163. Matsuo K, Kato T, Taneichi K, Matsumoto A, Ohtani T, Hamamoto T, Yamasue H, Sakano Y, Sasaki T, Sadamatsu M, Iwanami A, Asukai N, Kato N (2003) Activation of the prefrontal cortex to trauma-related stimuli measured by near-infrared spectroscopy in posttraumatic stress disorder due to terrorism. ***Psychophysiology*** 40: 492-500
164. Tochigi M, Umekage T, Otani T, Kato T, Iwanami A, Asukai N, Sasaki T, Kato N (2002) Serum Cholesterol, Uric Acid and Cholinesterase in Victims of the Tokyo Subway Sarin Poisoning ; a relation with post-traumatic stress disorder. ***Neuroscience Research*** 44: 267-272
165. Iwamoto K, Kato T (2002) Effect of cocaine and reserpine administration on RNA editing of rat 5-HT<sub>2C</sub> receptor estimated by primer extension combined with denaturing high-performance liquid chromatography. ***Pharmacogenomics Journal*** 2: 335-340
166. Yamasue H, Fukui T, Fukuda R, Yamada H, Yamasaki S, Kuroki N, Abe O, Kasai K, Tsujii K, Iwanami A, Aoki S, Ohtomo K, Kato N, Kato T (2002) <sup>1</sup>H-MR spectroscopy and gray matter volume of the anterior cingulate cortex in schizophrenia. ***Neuroreport*** 13: 2133-2137

167. Matsuo K, Kato N, Kato T (2002) Decreased cerebral haemodynamic response to cognitive and physiological tasks in mood disorders as shown by near-infrared spectroscopy. ***Psychological Medicine*** 32: 1029-1037
168. Ikeda A, Kato N, Kato T (2002) Possible relationship between electro-encephalogram finding and lithium response in bipolar disorder. *Progress in Neuro-Psychopharmacology & Biological Psychiatry* 26: 903-907
169. Kato T, Ishiwata M, Nagai T (2002) Mitochondrial calcium response in human transformed lymphoblastoid cells. ***Life Sciences*** 71: 581-590
170. Watanabe A, Kato N, Kato T (2002) Effects of creatine on mental fatigue and cerebral hemoglobin oxygenation. ***Neuroscience Research*** 42: 279-285
171. Kunugi H, Kato T, Fukuda R, Tatsumi M, Sakai T, Nanko S (2002) Association study of C825T polymorphism of the G-protein  $\beta_3$  subunit gene with schizophrenia and mood disorders. ***Journal of Neural Transmission*** 109: 213-218
172. Kato T, Kunugi H, Nanko S, Kato N (2001) Mitochondrial DNA polymorphisms in bipolar disorder. ***Journal of Affective Disorders*** 62: 151-164.
173. Kato T, Inubushi T, Kato N (2000) Prediction of lithium response by  $^{31}\text{P}$ -MRS in bipolar disorder. ***International Journal of Neuropsychopharmacology*** 3: 83-85
174. Kato T, Kunugi H, Nanko S, Kato N (2000) Association of bipolar disorder with the 5178 polymorphism in mitochondrial DNA. ***American Journal of Medical Genetics, Part B (Neuropsychiatric Genetics)*** 96B: 182-186
175. Narita K, Sasaki T, Akaho R, Okazaki Y, Kusumi I, Kato T, Hashimoto O, Fukuda R, Koyama T, Matsuo K, Okabe Y, Nanko S, Hohjoh H, Tokunaga K (2000) Human leukocyte antigen and season of birth in Japanese patients with schizophrenia. ***American Journal of Psychiatry*** 157: 1173-1175
176. Matsuo K, Kato T, Fukuda M, Kato N (2000) Alteration of hemoglobin oxygenation in the frontal region in elderly depressed patients measured by near-infrared spectroscopy. ***Journal of Neuropsychiatry and Clinical Neurosciences*** 12: 465-471
177. Kato T, Fujii K, Kamiya A, Kato N (2000) White matter hyperintensity detected by magnetic resonance imaging and lithium response in bipolar disorder: A preliminary observation. ***Psychiatry and Clinical Neurosciences*** 54: 117-120
178. Murashita J, Kato T, Shioiri T, Inubushi T, Kato N (2000) Altered brain energy metabolism in lithium-resistant bipolar disorder detected by photic stimulated  $^{31}\text{P}$ -MR spectroscopy. ***Psychological Medicine*** 30: 107-115

179. Kato T, Honda M, Kuwata S, Juji T, Kunugi H, Nanko S, Fukuda M, Honda Y (1999) A novel polymorphism in the promoter region of the tumor necrosis factor alpha gene: No association with narcolepsy. ***American Journal of Medical Genetics*** 88: 301-304
180. Kato T, Murashita J, Shioiri T, Inubushi T, Kato N (1999) Relationship of energy metabolism detected by <sup>31</sup>P-MRS in the human brain with mental fatigue. ***Neuropsychobiology*** 39: 214-218
181. Kato T, Honda M, Kuwata S, Juji T, Fukuda M, Honda Y, Kato N (1999) A search for a mutation in the tumor necrosis factor alpha (TNF- $\alpha$ ) gene in narcolepsy. ***Psychiatry and Clinical Neurosciences*** 53: 421-423
182. Kato T, Yamanaka G, Kaiya H (1999) Efficacy of media in motivating patients with panic disorder to visit specialists. ***Psychiatry and Clinical Neurosciences*** 53: 523-526
183. Kunugi H, Ishida S, Kato T, Sakai T, Tatsumi M, Hirose T, Nanko S (1999) No evidence for an association of polymorphism of the tryptophan hydroxylase gene with affective disorders or attempted suicide among Japanese patients. ***American Journal of Psychiatry*** 156: 774-776
184. Murashita J, Kato T, Shioiri T, Inubushi T, Kato N (1999) Age-dependent alteration of metabolic response to photic stimulation in the human brain measured by <sup>31</sup>P MR-spectroscopy. ***Brain Research*** 818: 72-76
185. Kunugi H, Hattori M, Nanko S, Fujii K, Kato T (1999) Dinucleotide repeat polymorphism in the neurotrophin-3 gene and hippocampal volume in psychoses. ***Schizophrenia Research*** 37: 271-273
186. Hamakawa H, Kato T, Shioiri T, Inubushi T, Kato N (1999) Quantitative proton magnetic resonance spectroscopy in the bilateral frontal lobes of patients with bipolar disorder. ***Psychological Medicine*** 29: 639-644
187. Kunugi H, Ishida S, Kato T, Tatsumi M, Sakai T, Hattori M, Hirose T, Nanko S (1999) A functional polymorphism in the promoter region of monoamine oxidase-A gene and mood disorders. ***Molecular Psychiatry*** 4: 393-395
188. Murashita J, Yamada N, Kato T, Tazaki M, Kato N (1999) Effects of sleep deprivation: The phosphorus metabolism in the human brain measured by <sup>31</sup>P-magnetic resonance spectroscopy. ***Psychiatry and Clinical Neurosciences*** 53: 199-201
189. Kato T, Winokur G, Coryell W, Rice J, Endicott J, Keller MB, Akiskal HS (1998) Failure to demonstrate parent-of-origin effect in transmission of bipolar II disorder. ***Journal of Affective Disorders*** 50: 135-141
190. Kato T, Murashita J, Shioiri T, Terada M, Inubushi T, Kato N (1998) Photic stimulation-induced alteration of brain energy metabolism measured by <sup>31</sup>P-MR spectroscopy in patients with MELAS. ***Journal of Neurological Sciences*** 155: 182-185

191. Kato T, Murashita J, Kamiya A, Shioiri T, Kato N, Inubushi T (1998) Decreased brain intracellular pH measured by <sup>31</sup>P-MRS in bipolar disorder: A confirmation in drug-free patients and correlation with white matter hyperintensity. ***European Archives of Psychiatry & Clinical Neurosciences*** 248: 301-306
192. Sasaki T, Hattori M, Sakai T, Kato T, Kunugi H, Hirose T, Nanko S (1998) The monoamine oxidase A (MAO-A) gene and major psychosis in Japanese subjects. ***Biological Psychiatry*** 44: 922-924
193. Hamakawa H, Kato T, Murashita J, Kato N (1998) Quantitative proton magnetic resonance spectroscopy of the basal ganglia in patients with affective disorders. ***European Archives of Psychiatry & Clinical Neurosciences*** 248: 53-58
194. Kunugi H, Fukuda R, Hattori M, Kato T, Tatsumi M, Sakai T, Hirose T, Nanko S (1998) C677T polymorphism in methylenetetrahydrofolate reductase gene and psychoses. ***Molecular Psychiatry*** 3: 435-437
195. Kato T, Winokur G, McMahon FJ, DePaulo JR, Crowe RR (1997) Quantitative analysis of leukocyte mitochondrial DNA deletion in affective disorders. ***Biological Psychiatry*** 42: 311-316
196. Kato T, Stine OC, McMahon FJ, Crowe RR (1997) Increased levels of a mitochondrial DNA deletion in the brains in patients with bipolar disorder. ***Biological Psychiatry*** 42: 871-875
197. Kato T, Shioiri T, Murashita J, Inubushi T (1997) Phosphorus-31 magnetic resonance spectroscopic observations in 4 cases with anorexia nervosa. ***Progress in Neuro-Psychopharmacology & Biological Psychiatry*** 21: 719-724
198. Kunugi H, Hattori M, Kato T, Tatsumi M, Sakai T, Sasaki T, Hirose T, Nanko S (1997) Serotonin transporter gene polymorphisms: Ethnic difference and possible association with bipolar affective disorder. ***Molecular Psychiatry*** 2: 457-462
199. Shioiri T, Someya T, Murashita J, Kato T, Hamakawa H, Inubushi T (1997) Multiple regression analysis of relationship between frontal lobe phosphorus metabolism and clinical symptoms in patients with schizophrenia. ***Psychiatry Research: Neuroimaging*** 76: 113-122
200. Kato T, Murashita J, Shioiri T, Hamakawa H, Inubushi T (1996) Effect of photic stimulation on energy metabolism in the human brain measured by <sup>31</sup>P MR spectroscopy. ***Journal of Neuropsychiatry and Clinical Neurosciences*** 8: 417-422
201. Kato T, Hamakawa H, Shioiri T, Murashita J, Takahashi Y, Takahashi S, Inubushi T (1996) Choline-containing compounds detected by proton magnetic resonance spectroscopy in the basal ganglia in bipolar disorder. ***Journal of Psychiatry & Neuroscience*** 21: 248-254
202. Kato T, Fujii K, Shioiri T, Inubushi T, Takahashi S (1996) Lithium side effects in relation to

- brain lithium concentration measured by lithium-7 magnetic resonance spectroscopy. ***Progress in Neuro-Psychopharmacology & Biological Psychiatry*** 20: 87-97
203. Kato T, Takahashi Y (1996) Deletion of leukocyte mitochondrial DNA in bipolar disorder. ***Journal of Affective Disorders*** 37: 67-73
204. Kato T, Wang ZW, Zoega T, Crowe RR (1996) Missense mutation of the cholecystokinin B receptor gene: Lack of association with panic disorder. ***American Journal of Medical Genetics, Part B (Neuropsychiatric Genetics)*** 67: 401-405
205. Kato T, Winokur G, Coryell W, Keller MB, Endicott J, Rice J (1996) Parent-of-origin effect in the transmission of bipolar disorder. ***American Journal of Medical Genetics, Part B (Neuropsychiatric Genetics)*** 67: 546-550
206. Shioiri T, Oshitani Y, Kato T, Murashita J, Hamakawa H, Inubushi T, Nagata T, Takahashi S (1996) Prevalence of cavum septum pellucidum detected by MRI in patients with bipolar disorder, major depression, and schizophrenia. ***Psychological Medicine*** 26: 431-434
207. Shioiri T, Kato T, Murashita J, Hamakawa H, Inubushi T, Takahashi S (1996) High-energy phosphate metabolism in the frontal lobes of patients with panic disorder detected by phase-encoded <sup>31</sup>P-MRS. ***Biological Psychiatry*** 40: 785-793
208. Shioiri T, Hamakawa H, Kato T, Murashita J, Fujii K, Inubushi T, Takahashi S (1996) Proton magnetic resonance spectroscopy of the basal ganglia in patients with schizophrenia: a preliminary report. ***Schizophrenia Research*** 22: 19-26
209. Shioiri T, Murashita J, Kato T, Fujii K, Takahashi S (1996) Characteristic clinical features and clinical course in 270 Japanese outpatients with panic disorder. ***Journal of Anxiety Disorders*** 10: 163-172
210. Kato T, Shioiri T, Murashita J, Hamakawa H, Takahashi Y, Inubushi T, Takahashi S (1995) Lateralized abnormality of high energy phosphate metabolism in the frontal lobes of patients with bipolar disorder detected by phase-encoded <sup>31</sup>P-MRS. ***Psychological Medicine*** 25: 557-566
211. Kato T, Shioiri T, Murashita J, Hamakawa H, Takahashi Y, Inubushi T, Takahashi S (1995) Lateralized abnormality of high energy phosphate and bilateral reduction of phosphomonoester measured by <sup>31</sup>P-MRS of the frontal lobes in schizophrenia. ***Psychiatry Research: Neuroimaging*** 61: 151-160
212. Kato T, Shioiri T, Murashita J, Hamakawa H, Inubushi T, Takahashi S (1994) Phosphorus-31 magnetic resonance spectroscopy and ventricular enlargement in bipolar disorder. ***Psychiatry Research: Neuroimaging*** 55: 41-50
213. Kato T, Takahashi S, Shioiri T, Murashita J, Hamakawa H, Inubushi T (1994) Reduction of brain phosphocreatine in bipolar II disorder detected by phosphorus-31 magnetic resonance

- spectroscopy. ***Journal of Affective Disorders*** 31: 125-133
214. Kato T, Inubushi T, Takahashi S (1994) Relationship of brain lithium concentration measured by  $^7\text{Li}$ -MRS to treatment response in mania. ***Journal of Clinical Psychopharmacology*** 14: 330-335
215. Shioiri T, Kato T, Inubushi T, Murashita J, Takahashi S (1994) Correlations of phosphomonoesters measured by phosphorus-31 magnetic resonance spectroscopy in the frontal lobes and negative symptoms in schizophrenia. ***Psychiatry Research: Neuroimaging*** 55: 223-235
216. Nanko S, Fukuda R, Hattori M, Sasaki T, Dai XY, Kanba S, Kato T, Kazamatsuri H (1994) Linkage studies between affective disorder and dopamine D2, D3 and D4 receptor gene loci in four Japanese pedigrees. ***Psychiatry Research*** 52: 149-159
217. Kato T, Takahashi S, Shioiri T, Inubushi T (1993) Alterations in brain phosphorous metabolism in bipolar disorder detected by in vivo  $^{31}\text{P}$  and  $^7\text{Li}$  magnetic resonance spectroscopy. ***Journal of Affective Disorders*** 27: 53-60
218. Kato T, Shioiri T, Inubushi T, Takahashi S (1993) Brain lithium concentrations measured with lithium-7 magnetic resonance spectroscopy in patients with affective disorders: Relationship to erythrocyte and serum concentrations. ***Biological Psychiatry*** 33: 147-152
219. Satoh K, Suzuki T, Narita M, Ishikura S, Shibasaki M, Kato T, Takahashi S, Fukuyama H, Ohnishi H, Morita R (1993) Regional cerebral blood flow in catatonic type of schizophrenia. ***Psychiatry Research: Neuroimaging*** 50: 203-216
220. Shioiri T, Kato T, Murashita J, Yamada N, Takahashi S (1993) Changes in the frequency distribution pattern of body weight in patients with major depression. ***Acta Psychiatrica Scandinavica*** 88: 336-360
221. Kato T, Takahashi S, Inubushi T (1992) Brain lithium concentrations by  $^7\text{Li}$  and  $^1\text{H}$  magnetic resonance spectroscopy in bipolar disorder. ***Psychiatry Research: Neuroimaging*** 45: 53-63
222. Kato T, Takahashi S, Shioiri T, Inubushi T (1992) Brain phosphorous metabolism in depressive disorders detected by phosphorous-31 magnetic resonance spectroscopy. ***Journal of Affective Disorders*** 26: 223-230
223. Kato T, Shioiri T, Takahashi S, Inubushi T (1991) Measurement of brain phosphoinositide metabolism in bipolar patients using in vivo P-31 MRS. ***Journal of Affective Disorders*** 22: 185-190
224. Someya T, Shibasaki M, Kato T, Noguchi T, Ishida N, Takahashi S (1991) Haloperidol reductase activity in red blood cells from oriental patients on haloperidol. ***Progress in Neuro-Psychopharmacology & Biological Psychiatry*** 15: 275-278

225. Shibasaki M, Someya T, Kato T, Noguchi T, Ishida N, Takahashi S (1990) Measurement of haloperidol reductase activity in red blood cells and reduced haloperidol/haloperidol ratios in plasma in oriental psychiatric patients. ***Progress in Neuro-Psychopharmacology & Biological Psychiatry*** 14: 941-947

#### Refereed Review Articles

226. Kato T. Current understanding of bipolar disorder: Toward integration of biological basis and treatment strategies. ***Psychiatry and Clinical Neurosciences*** (Apr 25/2019, epub ahead of print)

227. Kim Y, Vadodaria KC, Lenkei Z, Kato T, Gage FH, Marchetto MC, Santos R. Mitochondria, metabolism and redox mechanisms in psychiatric disorders. ***Antioxidants and Redox Signaling*** 2019 Feb 1.

228. Nishioka M, Bundo M, Iwamoto K, Kato T. Somatic mutations in the human brain: implications for psychiatric research. ***Molecular Psychiatry*** 24: 839–856.

229. Kasahara T, Kato T (2017) What Can Mitochondrial DNA Analysis Tell Us About Mood Disorders? ***Biol Psychiatry*** 83: 731-738.

230. Kato T (2017) Neurobiological basis of bipolar disorder: Mitochondrial dysfunction hypothesis and beyond. ***Schizophrenia Research*** 187:62-66.

231. Kato T, Kasahara T, Kubota-Sakashita M, Kato TM, Nakajima K (2016) Animal models of recurrent or bipolar depression. ***Neuroscience***, 321: 189-196

232. Kida S, Kato T (2015) Microendophenotypes of psychiatric disorders: phenotypes of psychiatric disorders at the level of molecular dynamics, synapses, neurons, and neural circuits. ***Current Molecular Medicine***, 15: 111-118.

233. Kato T, Iwamoto K (2014) Comprehensive DNA methylation and hydroxymethylation analysis in the human brain and its implication in mental disorders, ***Neuropharmacology*** 80: 133-139

234. Ikegame T, Bundo M, Murata Y, Kaswai K, Kato T, Iwamoto K (2013) DNA methylation of the BDNF gene and its relevance to psychiatric disorders. ***Journal of Human Genetics*** 58: 434-438

235. Sugawara H, Bundo M, Ishigooka J, Iwamoto K, Kato T (2013) Epigenetic regulation of serotonin transporter in psychiatric disorders. ***Journal of Genetics and Genomics*** 40: 325-329

236. Manji H, Kato T, Di Prospero NA, Ness S, Beal FM, Krams M, Chen G (2012) Impaired mitochondrial function in psychiatric disorders. ***Nature Reviews Neuroscience*** 13:293-307

237. Iwamoto K, Bundo M, Kasai K, Kato T (2011) Measuring RNA editing of serotonin 2C receptor. **BIOCHEMISTRY(Moscow)** 76: 912-914
238. Schulze TG, Alda M, Adli M, Akula N, Arda R, Bui ET, Chillotti C, Cichon S, Czerski P, Del Zompo M, Detera-Wadleigh SD, Grof P, Gruber O, Hashimoto R, Hauser J, Hoban R, Iwata N, Kassem L, Kato T, Kittel-Schneider S, Kliwicki S, Keisoe JR, Kusumi I, Laje G, Leckband SG, Manchia M, MacQueen G, Masui T, Ozaki N, Perlis RH, Pfennig A, Piccardi P, Richardson S, Rouleau G, Reif A, Rybakowski JK, Sasse J, Schumacher J, Severino G, Smoller JW, Squassina A, Turecki G, Young LT, Yoshikawa T, Bauer M, McMahon FJ(2010) The International Consortium on Lithium Genetics (ConLiGen): an initiative by the NIMH and IGSLI to study the genetic basis of response to lithium treatment. **Neuropsychobiology** 62: 72-78
239. Kato T (2009) Epigenomics in psychiatry. **Neuropsychobiology** 60: 2-4
240. Iwamoto K, Kato T (2009) Epigenetic profiling in schizophrenia and major mental disorders. **Neuropsychobiology** 60: 5-11
241. Iwamoto K, Bundo M, Kato T (2009) Serotonin receptor 2C and mental disorders: genetic, expression and RNA editing studies. **RNA Biology** 6: 248-253
242. Kato T (2008) Molecular neurobiology of bipolar disorder: a disease of 'mood stabilizing neurons' ? **Trends in Neurosciences** 31: 495-503
243. Quiroz JA, Gray NA, Kato T, Manji HK (2008) Mitochondrially mediated plasticity in the pathophysiology and treatment of bipolar disorder. **Neuropsychopharmacology** 33: 2551-2565
244. Kato T (2008) Role of mitochondrial DNA in calcium signaling abnormality in bipolar disorder. **Cell Calcium** 44: 92-102
245. McGowan PO, Kato T (2008) Epigenetics in mood disorders. **Environmental Health and Preventive Medicine** 13: 16-24
246. Kato T (2007) Mitochondrial dysfunction as the molecular basis of bipolar disorder: therapeutic implications. **CNS Drugs** 21: 1-11
247. Kato T (2007) Bridging pharmacology and neurodevelopment in schizophrenia. The **International Journal of Neuropsychopharmacology** 10: 713-716
248. Kato T, Kakiuchi C, Iwamoto K (2007) Comprehensive gene expression analysis in bipolar disorder. **Canadian Journal of Psychiatry** 53: 763-771
249. Kato T, Kubota M, Kasahara T (2007) Animal models of bipolar disorder. **Neuroscience and Biobehavioral Reviews**.31: 832-842

250. Kato T (2007) Molecular genetics of bipolar disorder and depression. *Psychiatry and Clinical Neurosciences* 61: 3-19
251. Kato T (2006) The role of mitochondrial dysfunction in bipolar disorder. *Drug News & Perspectives* 19: 597-602
252. Iwamoto K, Kato T (2006) Gene expression profiling in schizophrenia and related mental disorders. *Neuroscientist* 12: 349-361
253. Kato T, Kuratomi G, Kato N (2005) Genetics of bipolar disorder. *Drugs of Today* 41: 335-344
254. Kato T (2005) Mitochondrial dysfunction in bipolar disorder: from <sup>31</sup>P-magnetic resonance spectroscopic findings to their molecular mechanisms. *International Review of Neurobiology* 63: 21-40
255. Kato T, Iwamoto K, Kakiuchi C, Kuratomi G, Okazaki Y (2005) Genetic or epigenetic difference causing discordance between monozygotic twins as a clue to molecular basis of mental disorders. *Molecular Psychiatry* 10: 622-630.
256. Ikeda A, Kato T (2003) Biological predictors of lithium response in bipolar disorder. *Psychiatry and Clinical Neurosciences* 57: 243-250
257. Kato T (2001) The other, forgotten genome: mitochondrial DNA and mental disorders. *Molecular Psychiatry* 6: 625-633
258. Kato T (2001) Molecular genetics of bipolar disorder. *Neuroscience Research* 40: 105-113
259. Kato T, Kato N (2000) Mitochondrial dysfunction in bipolar disorder. *Bipolar Disorders* 2: 180-190
260. Kato T, Inubushi T, Kato N (1998) Magnetic resonance spectroscopy in affective disorders. *Journal of Neuropsychiatry and Clinical Neurosciences* 10: 133-147
261. Kato T, Takahashi S, Inubushi T (1994) Brain lithium concentration measured with lithium-7 magnetic resonance spectroscopy: A review. *Lithium* 5: 75-81
262. Takahashi S, Someya T, Shibasaki M, Kato T, Noguchi T, Ishida N (1990) Measurement of haloperidol reductase activity in red blood cells from the Japanese psychiatric patients. *Clinical Neuropharmacology* 13: 536-537

### Book Chapters (Non-Refereed)

263. Bundo M, Kato T, Iwamoto K (2017) Estimation of LINE-1 Copy Number in the Brain Tissue and Isolated Neuronal Nuclei. In "Genomic Mosaicism in Neurons and Other Cell Types" (José

- María Frade, Fred H. Gage Eds), Neuromethods series, Vol 131, Springer, New York. pp 209-217
264. Bundo M, Kato T, Iwamoto K (2016) Cell Type-Specific DNA Methylation Analysis in Neurons and Glia, Springer. p. 115-123.
265. Clay HB, Fuke S, Kato T, Konradi C (2012) Mitochondrial genetics and bipolar disorder. (Strakowski SM eds "The Bipolar Brain: Integrating Neuroimaging and Genetics" Oxford University Press) 215-235
266. Kato T (2011) Possible roles of DNA methylation in bipolar disorder. (In Arturas Petronis, Jonathan Mill (eds) Brain, Behavior and Epigenetics, pp41-47, Springer)
267. Kato T (2010) Mitochondrial dysfunction and bipolar disorder. (In Manji HK, Zarate C Jr. (eds) Behavioral Neurobiology of Bipolar Disorder and its Treatment., pp187-200, Springer, Heidelberg, Germany )
268. Kato T, Kapczinski F, Berk M (2010) Mitochondrial dysfunction and oxidative stress. (In Yatham LN, Maj M (eds) Bipolar Disorder: Clinical and Neurobiological Foundations. pp244-254, Wiley-Blackwell, Hoboken, USA)
269. Kato T (2003) MRS Investigations and the pathophysiology of affective disorders. (In Soares JC (ed) Brain Imaging in Affective Disorders, pp159-180, Marcel Dekker, Inc., New York)
270. Kato T (2002) Imaging Studies of Mood Disorder by Magnetic Resonance Spectroscopy and Near-infrared Spectroscopy. (In T. Okuma, S. Kanba and Y. Inoue, (eds) Recent Advances in the Research of Affective Disorder in Japan, p75-84, Elsevier Science, the Netherlands, Amsterdam)
271. Kato T (2002) Atypical Psychosis: The Other Boundary of Bipolar Disorder. Bipolar Disorder. (Maj M, Akiskal H S, Lopez-Ibor J J, Sartorius N, eds) WILEY, UK, p94-95
272. Kato T (1997) In vivo investigations of signal transduction systems in affective disorders using magnetic resonance spectroscopy. (In: Ozawa H, Saito T, Takahata N (eds) Signal Transduction Systems in Affective Disorders, Springer-Verlag Tokyo, Tokyo, pp133-146

### Invited Lectures (Selected 10 recent presentations)

- 1) Kato T (2017) Exome or whole genome sequencing in bipolar disorder. Symposium S01 "Elucidating the genetic architecture of psychiatric disease". The 30th ECNP Congress. September 2, 2017, Paris
- 2) Kato T (2016) Neurobiology of Bipolar Disorder: mitochondrial hypothesis and beyond. Symposium "Mitochondrial bioenergetics and genetics in bipolar disorder". International Society of Bipolar Disorder 2016 Symposium. July 15/2016, Amsterdam
- 3) Kato T, Matoba N, Kataoka M, Fujii K (2014) Exome analysis in trio families of bipolar disorder. 22nd World Congress of Psychiatric Genetics, Denmark, Copenhagen, Oct. 12-16

- 4) Kato T (2014) Development of mood stabilizers based on mitochondrial dysfunction hypothesis of bipolar disorder. 29th CINP World Congress of *Neuropsychopharmacology*, Canada, Vancouver, June 22-26
- 5) Kato T (2014) Neurobiological basis of bipolar disorder. **Keynote Lecture**, 16th annual conference of the international society for bipolar disorders, South Korea, Seoul, Mar. 18-21
- 6) Kato T (2013) Neurobiology of bipolar disorder. Toward development of new mood stabilizers. **Plenary Lecture**, CINP 2013 Thematic Meeting, Jerusalem, Israel, April 22
- 7) Kato T (2011) Neurobiology of bipolar disorder. **Plenary Lecture** at 10th World Congress of *Biological Psychiatry*, Prague, Czech Republic, May 29-June 2
- 8) Kato T (2011) Brain DNA Methylomes: Cell-specific Regulation, Subject-Specific Signatures, and Potential Changes in Bipolar Disorder. Symposium at the Society of *Biological Psychiatry* 66th Annual Meeting, San Francisco, USA, May 12-14
- 9) Kato T (2010) Neural basis of bipolar disorder-like phenotypes in mice accumulating deleted mitochondrial DNA. Symposium at American College of **Neuropsychopharmacology** (ACNP), Miami, USA, Dec. 5-9
- 10) Kato T (2010) Neurobiology of bipolar disorder. **Plenary Lecture** at 4th Annual Scientific Meeting (ASM) of Hong Kong Society of *Biological Psychiatry*, Hong Kong, China, Jan.8-9

## Other publications

265 review/original articles in Japanese

10 books in Japanese